University of Maryland Center for Environmental Science Appalachian Laboratory

Campus Sustainability Report

Emissions Inventory & Comprehensive Climate Commitment: Carbon and Resilience Commitments



301 Braddock Road Frostburg, Maryland 21532 P: 301-689-7100; F: 301-689-7200

Appalachian Laboratory Website: <u>http://www.umces.edu/al/</u> Appalachian Laboratory Sustainability Page: <u>http://www.umces.edu/al-environmental-</u> <u>sustainability-initiative</u> University of Maryland Center for Environmental Science Sustainability Page: <u>http://www.umces.edu/sustainability-umces</u>

About this report...

The following report summarizes the UMCES Appalachian Laboratory greenhouse gas emissions for the three scopes defining emission sources, defines our plan of actions to reduce these emissions and outlines our plans to anticipate, survive and adapt to eminent climate changes.

Scope 1 – Direct sources. These are emissions from sources that are owned and operated by the institution such as on campus stationary sources of fuel combustion, produced electricity, heat and steam, direct transportation (i.e. fleet vehicles), fugitive emissions and agriculture.

Scope 2 – Indirect sources. These include emissions from off-campus sources that are neither owned nor operated by the institution but whose products are directly linked to on-campus energy consumption. These include purchased energy: electricity, steam and chilled water.

Scope 3 – Other Sources include emissions that are attributed to the institution but occur from sources neither owned nor controlled by the institution. These sources are normally directly financed by or directly linked to the institution such as outsourced transportation for business travel (air, rail, bus), faculty, staff and student commuting, solid waste disposal, wastewater, and electricity transportation and distribution losses, office paper and other paper purchases.

Offsets – Offsets are allocated RECs from the Renewable Portfolio Standard (RPS) and from the Purchase Power Agreements (PPAs) used to offset scope 2 emissions. Additional offset credits are earned by sequestration from forest preservation or planting of previously un-forested land.

The software used to compute carbon emissions is the <u>Campus Carbon Calculator</u>, v9.0. See more at http://www.sustainableunh.unh.edu/calculator

The AL Carbon Emissions inventory team includes the following individuals:

Barbara Jenkins, Staff – updated emissions inventory, compiled data, prepared the summary report Kristen Harper, Staff – provided updated personnel, utility and travel data Cami Martin, Staff – provided updated fleet use data and purchasing data Heather Johnson, Assistant Director - provided operating and research budget data John Piasecki, Facility Manager – provided facilities data

The AL Environmental Sustainability Council consists of the following individuals: Barbara Jenkins – Chair & Facility representative Heather Johnson – Budget Office representative Kristen Harper – Business Office representative J. Edward Gates – Faculty representative Stephanie Siemek – Student representative

Ad hoc members include: Katie Kline – Laboratory and Safety Manager Cami Martin – Business Office, Purchaser and Fleet Manager Eric Farris – IT Administrator John Piasecki – Facility Manager

Cover photo courtesy of Andrew Elmore, Associate Professor, UMCES Appalachian Laboratory.

Table of Contents

University of Maryland Center for Environmental Science	1
List of Data Tables	4
I.A. History	5
I.B. Introduction	6
Section II: Operational Boundaries, Data Collection & Emission Sources	8
II.A. Operational Boundaries	8
II.B. Data Collection	8
II.C. Emission Sources	8
II.C.1. Scope 1: Direct Sources of Emissions	
On-Campus Stationary Source 1: Natural Gas	9
On-Campus Stationary Source 2: Fuel Oil #2	9
Fleet Use: Gasoline	9
Fugitive Emissions	
II.C.2. Scope 2: Indirect Sources of Emissions	
Purchased Electricity	
II.C.3. Scope 3: Other Sources of Emissions	
Transport – Air, Bus and Rail Miles Traveled Solid Waste Disposal	
Wastewater	
Commuter Miles	
Electric Transmission and Distribution Losses (T&D)	
Paper Purchases	
II.C.4 Offsets	
Section III: Budget, Personnel, & Organizational Boundaries	
III.A. Budget Data	
III.B. Personnel Data	16
III.C. Organizational Boundaries	17
Section IV: Methods & Outcomes	19
IV.A. Methods	
IV.B. Outcomes	
Chart 1: Total carbon emissions by Fiscal Year over the study period	
Chart 2: Carbon emissions by source and year over the study period.	
Chart 3: Break-out comparison of carbon emissions by source	
Chart 4: mt eCO ₂ emissions trend over the study period	
Chart 5: Total emissions over the study period by source.	
Charts 6 & 7: Total emissions over the study period by emission scope	23
Section V: Results & Actions	24
V.A. Results	24
V.B. Actions	24
Section VI: Climate Leadership Commitment	25

VI.A. Comprehensive Commitment	25
VI.B. Climate Action Plan	26
VI.B.1. Carbon Commitment	26
VI.B.1.a. Current Energy Conservation Measures	27
VI.B.1.a.(1) Administrative Practices	27
VI.B.1.a.(2) Facilities Operations	27
Heating and cooling	27
Landscaping	
Recycling and Waste Minimization	
Power Down Policy	
Heating, Ventilation, and Air-Conditioning (HVAC)	
Lighting System Retrofits	
VI.B.1.a.(3) Procurement Practices	29
VI.B.1.a.(4) Technology Practices	
VI.B.1.a.(5) Transportation Practices	
VI.B.1.b. Suggested Energy Conservation Measures	
VI.B.1.b. (1). Additional Building Insulation	
VI.B.1.b. (2). Renewable Energy Sources (Local & System Wide)	
VI.B.1.b. (3). Water Collection and Re-use	
VI.B.1.b. (4). Carbon Offset Projects	
VI.B.1.a. (5). Renewable Energy Certificates (RECs)	32
VI.B.2. Resilience Commitment	
VI.C. Costs and Financing	
VI.D. Communication and Dissemination	
VI.E. Conclusions	
Section VII: References	
Section VIII: Acronyms and Abbreviations	

List of Data Tables

Table 1: Emission Sources & Offsets	8
Table 2: Natural Gas	9
Table 3: Gasoline - Fleet Use	
Table 4: Refrigerant Replacement	
Table 5: Electricity	
Table 6: Air, Rail and Bus Travel	
Table 7: Solid Waste Disposal	
Table 8: Wastewater	
Table 9: Commuter Miles	
Table 10: Electric T&D Losses	
Table 11: Paper Purchases	14
Table 12: Offsets	
Table 13: Budget Data	
Table 14: Personnel Data	
Table 15: Summary of CO ₂ e emissions by source and year	
Table 17: Events, At-Risk Areas and Response	

List of Figures

Figure 1:	Property Boundaries	.17
Figure 2:	Aerial View of AL Property	.18

Section I: History & Introduction

I.A. History

The <u>Appalachian Laboratory (AL)</u>, located in the mountains of western Maryland, is an environmental research facility and is seen as a vital research component for understanding the Chesapeake Bay Watershed. AL is part of one of the world's leading coastal research institutions, the <u>University of —</u> <u>Maryland Center for Environmental Science (UMCES)</u>. UMCES is the premier research institution aimed at advancing scientific knowledge of the environment; it is extensively involved in graduate education in the environmental science programs within the <u>University System of Maryland (USM)</u>. UMCES faculty members advise, teach, and serve as mentors to many graduate students enrolled in joint degree programs with USM institutions, particularly through the System-wide graduate programs in Marine- Estuarine-Environmental Sciences (MEES), in which UMCES has a leading role. In addition, UMCES offers post-baccalaureate certificates in specialized areas for professional development. The sister units within UMCES are Horn Point Laboratory (HPL), on Maryland's Eastern Shore, the <u>Chesapeake Biological Laboratory (CBL)</u>, at the mouth of Patuxent River in Southern Maryland, the <u>Institute of Marine and Environmental Technology (IMET)</u>, located in the Columbus Center on Baltimore's Inner Harbor, Baltimore Maryland, and the <u>Maryland Sea Grant College (MDSG)</u> located in College Park.

The Appalachian Laboratory, established in 1961 as a field station of the Inland Resources Division of the University of Maryland's Natural Resources Institute, consisted of portions of two rented buildings and a storage facility along Route 40 in LaVale, a suburb of Cumberland, Maryland. In 1973, the Institute became part of the University of Maryland's new Center for Environmental and Estuarine Studies (CEES) and the Inland Resources Division in College Park was abandoned, its positions divided among the three Laboratories.

To provide more adequate facilities and encourage cooperative relationships with other institutions in western Maryland, the Laboratory was relocated to Gunter Hall, a converted dining hall and kitchen, on the <u>Frostburg State University (FSU)</u> Campus, in the fall of 1975. Its current location is within a three county region (Garrett, Allegany, and Washington) that provides direct access to several state parks, forests, and wildlife management area.

In 1996, UMCES negotiated the transfer of 10.59 acres at the south end of Frostburg State University campus near the corner of University Drive and Braddock Road and constructed a new facility that was occupied in December of 1998. The new physical plant consists of 4 structures totaling 48,327 GSF. With increased development at the Allegany County Business Park situated just above the AL campus, and the requirements for storm water management these facilities, it became necessary to adjust the boundary lines from the original ground lease to UMCES. In 2015, this section of land, approximately 2.12 acres on the west side of the AL property, was transferred to Frostburg State University for the maintenance of the storm water ponds and has been designated a no-build area. With this land transfer, the Appalachian Laboratory Campus covers approximately 8.47 acres.

AL seeks to understand the consequences of land use change on terrestrial and freshwater ecosystems dynamics, with special focus on the impacts within the Chesapeake Bay watershed. AL researchers pursue this goal by designing and executing studies of the effects of natural and human-induced changes on organisms, landscapes, and biogeochemical and hydrological cycles. Scientific results from these

studies reveal the consequences of environmental change across scales of organization and inform the management of natural resources, the restoration of ecosystems, and the fostering of environmental awareness. The research conducted at AL is notably diverse and inter-disciplinary and spans scales from genes to landscapes and watersheds, and encompasses terrestrial, wetland, and aquatic ecosystems. This breadth of scientific enquiry, coupled with a strongly collaborative faculty, has enabled us to address a variety of research needs within the state, the country, and throughout the world.

Historically, AL had its roots in fisheries, wildlife, and conservation ecology. Faculty members have a strong record of assisting the state in addressing problems concerning the population status of terrestrial and aquatic organisms. Studies often aimed to link local processes to regional or global phenomena, with many studies relying on extensive, long-term (sometimes spanning more than 20 years) data sets derived from detailed field measurements as well as field and laboratory analyses of water, soil, atmospheric, and plant samples using high quality analytical techniques.

In the early 1990's AL began building strengths in ecosystem ecology with a particular focus on spatial scales of the entire Potomac landscape and its sub-watersheds. This initiative established a new and broader role for AL within UMCES that complemented the more estuarine and marine focus of the other laboratories, and extended the overall breadth of UMCES by integrating the Chesapeake Bay and its watershed into a central "mountains to sea" vision. Ecosystem ecology is a natural entry point for studies on global change, and consequently the research at AL has increasingly focused on revealing the varied effects of anthropogenic disturbance and climate variability on organismal responses, community biodiversity, and the functioning of terrestrial and aquatic ecosystems. Some of these environmental threats have been known for some time, such as habitat fragmentation, urban runoff and estuarine eutrophication, while other threats like climate change, sea level rise, large-scale energy development (e.g., wind farms, natural gas fracking), and the spread of invasive pests and pathogens recently have emerged as causes of concern.

AL researchers are dedicated to staying at the forefront of the approaches needed to address the most pressing environmental problems. Faculty appointments in recent years have greatly expanded AL's research breadth with new expertise focused on remote sensing, geospatial modeling, stable isotopes, and molecular ecology and genomics. These new research areas address questions across a wide variety of spatial scales (local populations, communities, landscapes), habitat types (terrestrial, aquatic), and taxonomic groups (animals, plants, microbes), thereby providing enormous collaborative potential not only within AL but also across UMCES labs, jointly contributing to the growth of the Center and the Appalachian Laboratory.

Appalachian Laboratory is the headquarters and administrative lead of the <u>Chesapeake Watershed</u> <u>Cooperative Ecosystem Studies Unit (CW CESU)</u>, a partnership among 29 universities and research institutions, and 9 federal agencies whose members strive to understand and protect the natural and cultural resources of the region. The CW CESU is part of the <u>CESU national network</u> of 17 similar partnerships. The primary objective of the network is to foster stewardship of the environment through collaborative research, technical assistance and education that support integrated ecosystem management.

I.B. Introduction

On December 18, 2007, UMCES President, Dr. Donald Boesch, signed the <u>American College &</u> <u>University Presidents Climate Commitment (ACUPCC)</u> with an effective date of January 15, 2008. The Environmental Sustainability Council (ESC) was created to provide leadership, advice, and assistance in implementing practices that enhance the environmental sustainability of the operations of the University of Maryland Center for Environmental Science (UMCES). The UMCES ESC functions as a task group and advisory body to the President and Administrative Council. Members are appointed by the President from among the faculty, staff and students at the Center's four laboratories, Center Administration and the Maryland Sea Grant College Program.

The Appalachian Laboratory Environmental Sustainability Council (AL ESC) serves as the laboratory/campus level advisory council and has worked with the Administration to complete a comprehensive inventory of greenhouse gas emissions and will continue to work with the Administration to complete an institutional action plan to work toward obtaining climate neutrality.

Additionally, as a provision to the University System of Maryland (USM) Sustainability Initiative, institutions are required to make a serious environmental commitment to the concept of reducing greenhouse gas emissions and combating climate change when preparing Facilities Master Plans (FMP) for campus development, utilities, infrastructure, new building and renovations.

A greenhouse gas inventory estimates the amount of carbon-based gases emitted into the atmosphere as a result of an institution's activities. The Appalachian Laboratory's inventory will help evaluate energy use as the first step toward reducing our greenhouse gas (carbon) emissions and overall climate footprint. The AL building construction was not completed and ready for occupancy until December 1998. We use data from a ten-year time period to complete our annual inventories to provide a living and current document to track our progress and goals.

University of Maryland Center for Environmental Science completed and submitted our initial Climate Action Plan to the ACUPCC in May of 2010 completing the initial requirements as a signatory to the President's Climate Commitment. The plan is available on the UMCES sustainability webpage as at http://www.umces.edu/about/sustainability as well as the UMCES AL sustainability webpage at http://www.umces.edu/al/sustainability as well as the UMCES AL sustainability webpage at http://www.umces.edu/al/sustainability as well as the UMCES AL sustainability webpage at http://www.umces.edu/al/sustainability as well as the UMCES AL sustainability webpage at http://www.umces.edu/al/sustainability as well as the UMCES AL sustainability webpage at http://www.umces.edu/al/sustainability as well as the UMCES AL sustainability webpage at http://www.umces.edu/al/sustainability as the UMCES AL sustainability webpage at http://www.umces.edu/al/sustainability as the UMCES AL sustainability webpage at http://www.umces.edu/al/sustainability as a supervision of the sustainability as well as the sustainability webpage.

In October 2015, this ACUPCC initiative was rebranded the Climate Commitment with major changes that introduced concepts of resilience. Building on the history of the ACUPCC and completing a strategic planning process with extensive feedback and input from signatories and partners, Second Nature is maturing the ACUPCC and the Alliance for Resilient Campuses (ARC) by integrating and rebranding them as Second Nature's Climate Leadership Commitments.

On October 5, 2015, Dr. Boesch signed the new, updated <u>Climate Leadership Commitment</u>. The Climate Commitment integrates carbon neutrality with climate resilience and provides a systems approach to mitigating and adapting to a changing climate. The Resilience Commitment is focused on climate resiliency and community capacity-building to deal with a changing climate and resulting extremes while the he Carbon Commitment is focused on reducing Greenhouse Gas emissions and achieving carbon neutrality as soon as possible.

Section II: Operational Boundaries, Data Collection & Emission Sources

II.A. Operational Boundaries

AL's inventory included the following sources of emissions (Table 1): *Scope 1:* direct sources include heating, emergency generator use, fleet transportation and fugitive emissions; *Scope 2:* indirect sources including purchased electricity; *Scope 3:* other sources including employee business travel, solid waste disposal, wastewater, electric transportation and distribution (T&D) losses, employee commuter miles (starting with Fiscal Year (FY) 08), and paper purchases (starting with FY08). *Offsets*: RECs allocated o from the Renewable Portfolio Standard (RPS) and Purchase Power Agreements (PPAs). The last PPA SREC allocation was used in FY15. *DeMinimus:* Although several of the sources may qualify as *De Minimus Emissions* sources, (less than 5%) they have been included to establish a baseline and to maintain consistency with the other UMCES laboratories.

Table 1: Emission Sources & Offsets			
		Scope 3 – Other	Offsets
Scope 1 - Direct Emissions	Scope 2 – Indirect Emissions	Emissions	
On Campus Stationary Source 1		Air, Rail, Bus	RPS-RECs
(OCSS1) - Natural Gas	Purchased Electricity	Transportation	
On Campus Stationary Source 2			PPA-
(OCSS2) - Fuel Oil #2		Solid Waste	SREC
Fugitive Emissions: Refrigerants &			
Other Chemicals		Wastewater	
University Owned Fleet		Commuter Miles	
		Electric T&D Losses	
		Paper Purchases	

II.B. Data Collection

This report is updated annually to cover a ten fiscal-year period. This study period covers FY07 – FY16. The study period was adjusted for the FY08 update from calendar year to FY year reporting. USM fiscal year runs from July 1 – June 30. Raw data is continually gathered from actual utility bills to extend the study period and keep the GHG inventory current. Data collected were entered into the Campus Carbon Calculator, v8.0 (CCC) to obtain the Metric Tons Carbon Dioxide equivalent (MT CO₂e) emissions for each source. There are several gases that contribute to global warming and these gases contribute to varying degrees. Global warming potential (GWP) is a relative measure of how much heat a greenhouse gas traps in the atmosphere. Carbon dioxide, the most prevalent greenhouse gas, is the proxy that greenhouse gas emissions are measured by. For the purpose of having a standard measure for carbon footprints, the GWP of a gas is referenced in carbon dioxide (CO₂) equivalency, or CO₂e, since the GWP for CO₂ is standardize to 1. By expressing the impact of each different greenhouse gas in terms of the amount of CO₂ that would create the same amount of warming, a carbon footprint consisting of many of different greenhouse gases can be expressed as a single number.

II.C. Emission Sources

II.C.1. Scope 1: Direct Sources of Emissions

Scope 1 or Direct Sources of emissions include those emissions from sources that are owned or controlled by the institution. Currently, direct sources at AL include on campus stationary sources (OCSS) for heating and emergency generator use, direct transportation services (fleet transportation) and fugitive emissions.

On-Campus Stationary Source 1: Natural Gas

The first source of on-campus stationary emissions is from natural gas (Table 2). Natural gas is used to heat the building by the use of two Clever Brooks boilers, one serves as a backup system. Natural gas is also used to heat domestic hot water. Usage amounts were compiled from Columbia Gas bills and cubic feet (CF) were converted to Million Metric British Thermal Units (MMBTUs) for purposes of this inventory. Over the 10-year study period, 3480.58 MT CO₂e were emitted due to the burning of natural gas. This equates to 23.24% of our total emissions making it our second largest contributor of carbon emissions.

Table 2: Natural Gas			
FY	CF	MMBTUs	MT CO ₂ e emissions
FY07 (7/06 – 6/07)	7040000	7251.200	385.64
FY08 (7/07 - 6/08)	6534400	6730.432	357.95
FY09 (7/08 - 6/09)	7182200	7376.119	392.38
FY10 (7/09 - 6/10)	6460000	6634.420	381.34
FY11 (7/10 – 6/11)	6957500	7145.353	379.99
FY12 (7/11 – 6/12)	6300400	6470.511	344.04
FY13 (7/12 – 6/13)	6307600	6477.905	344.41
FY14 (7/13 – 6/14)	6720900	6902.364	366.98
FY15 (7/14 – 6/15)	4086100	4196.425	223.11
FY16 (7/15 – 6/16)	5581000	5731.687	304.74

On-Campus Stationary Source 2: Fuel Oil #2

The second on-campus stationary source is fuel oil #2. Fuel oil is used to supply the emergency generator and is also used as a backup supply for the boilers. There are two above ground oil tanks – a 3,000 tank and 2,000-gallon tank. Both tanks were filled in 1998 with the construction of the new facility. However, the generator is, as stated, only used as an emergency power source and the boilers normally operate on natural gas, so the use of fuel oil is very minimal. The tanks have only been topped off twice during the 10-year Study period, once in FY02 (1,062 gallons) and once in FY10 (2,786.70 gallons).

Over the 10-year study period only 28.80 MT CO_2e has been emitted from burning fuel oil #2. This comprises only 0.19% of AL's total emissions. On-Campus Stationary Sources have emitted a total of 3480.58 MT CO_2e over the course of the study period. This comprises 23.43% of our total emissions.

Fleet Use: Gasoline

Gasoline consumption (Table 3) was compiled from current fleet fuel provider bills for the AL vehicle fleet use. Fleet vehicles are provided to support University activities including **official lab business** - *travel to events or meetings as an official representative of the AL, UMCES, or USM*; **field work** - *travel in support of scientific research*; **research and/or collaboration** – *travel to meet with various state/federal officials to discuss research projects or grants, or meet with colleagues at different institutions to work on proposals to secure external funding, grants and/or contracts;* and **conference travel** - *travel to scientific conferences. Gallons* are used for this inventory.

Over the 10-year study period, 477.93 MT CO₂e were emitted due to fleet use. This equates to 3.19% of AL's total net emissions.

Table 3: Gasoline - Fleet Use				
FY Gallons Kiloliters MT CO ₂ e emissions				
FY07 (7/06 – 6/07)	6254.30	23.675	56.51	
FY08 (7/07 – 6/08)	5023.99	19.018	44.92	

FY09 (7/08 – 6/09)	7322.63	27.719	65.16
FY10 (7/09 – 6/10)	8506.69	32.201	75.37
FY11 (7/10 – 6/11)	5610.94	21.240	49.61
FY12 (7/11 – 6/12)	3984.76	15.084	35.20
FY13 (7/12 – 6/13)	3600.78	13.630	31.80
FY14 (7/13 – 6/14)	4728.85	17.901	41.75
FY15 (7/14 – 6/15)	4515.47	17.093	39.84
FY16 (7/15 – 6/16)	4278.56	16.196	37.75

Fugitive Emissions

Fugitive emissions (Table 4) from refrigerants were estimated by compiling direct purchase records for refrigerant and contractor records for refrigeration unit repairs to calculate the amount of refrigerant that has been replaced. A total of 369.5 pounds of Refrigerant 22 (R22), 30 pounds of Refrigerant 404A (R404A) and 5.44 pounds of Refrigerant 134A (R134A) have been replaced over the study period of this inventory (FY06-FY15). Additionally, 120 pounds of R22 have been reclaimed.

Over the study period, $339.62 \text{ MT CO}_{2e}$ have been released due to fugitive emissions. This contributes only 2.27% to our total emissions.

Table 4: Refrigerant Replacement				
FY R22 (lbs.) R134A (lbs.) R404A (lbs.) MT CO26				
FY07 (7/06 - 6/07)	0	0	0	0.00
FY08 (7/07 - 6/08)	30.0	0.44	0	24.91
FY09 (7/08 – 6/09)	152.0	2.00	0	126.09
FY10 (7/09 - 6/10)	37.5	0	0	30.79
FY11 (7/10 – 6/11)	37.5	0	0	30.79
FY12 (7/11 – 6/12)	37.5	0	0	30.79
FY13 (7/12 – 6/13)	37.5	3	0	32.73
FY14 (7/13 – 6/14)	37.5	0	0	30.79
FY15 (7/14 – 6/15)	37.5	3	0	32.73
FY16 (7/15 – 6/16)	0	0	0	0.00

Total emissions for Scope 1, direct sources of emissions, over the 10-year study period were 4326.93 MT CO₂e. This equates to 28.89% of our total emissions.

II.C.2. Scope 2: Indirect Sources of Emissions

Scope 2 or Indirect Sources include emissions from sources that are neither owned nor operated by the institution but whose products are directly linked to on-campus energy consumption. Currently, indirect sources of emission at AL include purchased electricity.

Purchased Electricity

Purchased electricity (Table 5) use was collected from Allegany Power and Reliant and Pepco utility bills. Total *Kilowatt Hours (KWH)* were used for this inventory. Over the course of the study period, 8833.20 MT CO₂e were released due to electric usage. This comprises 58.98% of our total net emissions, making electricity our principal source of carbon emissions. *Note, emissions from electricity lost in transportation and distribution are calculated in the Scope 3 emissions.*

Table 5: Electricity		
FY	KWH	MT CO ₂ e emissions

FY07 (7/06 – 6/07)	1435533	1017.36
FY08 (7/07 – 6/08)	1471911	1043.15
FY09 (7/08 - 6/09)	1315555	913.89
FY10 (7/09 - 6/10)	1263923	868.20
FY11 (7/10 – 6/11)	1320272	906.91
FY12 (7/11 – 6/12)	1424627	898.47
FY13 (7/12 – 6/13)	1314924	829.28
FY14 (7/13 – 6/14)	1329311	838.35
FY15 (7/15 – 6/15)	1240259	782.19
FY16 (7/15 – 6/16)	1166066	735.40

MD state law requires that the supplier meet the Renewable Portfolio Standard (RPS,) this equates to approximately 13% of our energy supply in RECs. UMCES was apportioned Renewable Energy Credits associated with the three power purchase agreements with Roth Rock, Pinnacle and Mt. St. Mary's through the USM System wide purchase. However, because of the inherent difficulty in tracking RECs, allocations, FY15 is the final year that USM will allocating RECs to institutions that are not on the Block and Index supply contract – this included UMCES.

Electricity is our only Scope 2, indirect emission source. Our total Scope 2 emissions over the 10year study period were 8833.20 MT CO₂e. This equates to 58.98% of our total emissions.

II.C.3. Scope 3: Other Sources of Emissions

Scope 3, or Other Sources include emissions that are attributed to the institution but occur from sources neither owned nor controlled by the institution. These sources are normally directly financed by or directly linked to the institution. Currently, other sources of emissions include employee business travel, solid waste disposal, wastewater, employee commuter miles, electric T&D losses, and paper purchases.

Transport – Air, Bus and Rail Miles Traveled

Employee transport miles (Table 6) - Air, Rail and Bus - include travel by faculty, staff and students while on business that were both arranged and paid for directly by our staff or arranged by the employee and expensed back to our institution. Travel arranged and paid for by other agencies were not included Data was collected in *miles* traveled, which is the required format for the CA-CP calculator. Employee travel by air, rail and bus emitted 369.47 MT CO₂e over the 10-year study period. Transport comprises 2.47% of our total net emissions.

Table 6: Air, Rail and Bus Travel			
FY	km	miles	MT CO ₂ e emissions
FY07 (7/06 – 6/07)	125342	77884	46.35
FY08 (7/07 - 6/08)	159253	98955	56.87
FY09 (7/08 - 6/09)	80274	49880	27.09
FY10 (7/09 - 6/10)	121110	75254	39.64
FY11 (7/10 – 6/11)	76671	47641	24.21
FY12 (7/11 – 6/12)	104218	64758	32.91
FY13 (7/12 – 6/13)	157346	97770	47.17
FY14 (7/13 – 6/14)	80718	50156	24.20
FY15 (7/14 – 6/15)	122313	76002	36.66
FY16 (7/15 – 6/16)	114653	71242	34.37

Solid Waste Disposal

To manage solid was disposal (Table 7), AL has one 8-cubic yard dumpster hauled by an external trash removal company and sent to Mountain View Landfill. Mountain View currently operates a passive flare system that runs on solar power with battery backup. The landfill is in the process of starting construction on an active landfill gas system that will consist of a flare unit that will flare off the landfill gas. Based on gas generation and output, the possibility exists for the landfill to produce alternate energy in the future.

Until FY06, the dumpster was emptied once every week, assuming 0.40 tons per week. In FY07, due to increased recycling efforts, the dumpster hauls were reduced once every other week, assuming 0.20 tons per week. For 2012, MDE updated the conversion rate for solid waste disposed. The previous ratio was 0.05 cubic yards (Yd³s) to tons and was updated to 0.10 Yd³s to tons. This change lowered our resulting recycling rate, however our recycling efforts did not decrease and our solid waste disposed did not increase in 2012. Beginning in 2014, pickups were decreased to monthly pickups. Solid waste disposal has resulted in 29.26 MT CO₂e emissions over the course of the study period. This equates to 0.19% of our total net emissions.

Table 7: Solid Waste Disposal								
FY	Dumpster Size	Tons/Yr.	MT CO ₂ e emissions					
FY07 (7/06 – 6/07)	8 CY	10.40	3.22					
FY08 (7/07 – 6/08)	8 CY	10.40	3.22					
FY09 (7/08 – 6/09)	8 CY	10.40	3.22					
FY10 (7/09 - 6/10)	8 CY	10.40	3.22					
FY11 (7/10 – 6/11)	8 CY	10.40	3.23					
FY12 (7/11 – 6/12)	8 CY	10.40	3.23					
FY13 (7/12 – 6/13)	8 CY	10.40	3.23					
FY14 (7/13 – 6/14)	8 CY	7.20	2.23					
FY15 (7/14 – 6/15)	8 CY	7.20	2.23					
FY16 (7/15 – 6/16)	8 CY	7.2	2.23					

Wastewater

Wastewater (Table 8) from AL is collected by the Braddock Run Sanitary District and flows to the Wrights Crossing Pumping Station (WCPS). The WCPS receives the combined sewer flow from Frostburg and conveys it to LaVale Sanitary Commission's system which then conveys the combined sewer flow to the City of Cumberland's Wastewater Treatment Plant (WWTP). The City of Cumberland's WWTP is a regional 15 million gallons per day biological nutrient removal facility followed by anaerobic digestion for biosolids. This anaerobic digestion treatment process reduces the carbon emissions from waste treatment when compared to other waste treatment processes.

Wastewater resulted in only $1.13 \text{ MT CO}_2 e$ emissions over the study period and comprises less than 0.01% of our net emissions.

Table 8: Wastewater								
FY	Gallons	MT CO ₂ e emissions						
FY07 (7/06 - 6/07)	117700	0.06						
FY08 (7/07 – 6/08)	270300	0.14						
FY09 (7/08 - 6/09)	187800	0.10						
FY10 (7/09 – 6/10)	159200	0.08						
FY11 (7/10 – 6/11)	374500	0.19						
FY12 (7/11 – 6/12)	239810	0.12						

FY13 (7/12 – 6/13)	332520	0.17
FY14 (7/13 – 6/14)	203660	0.11
FY15 (7/14 – 6/15)	156260	0.08
FY16 (7/15 – 6/16)	154140	0.08

Commuter Miles

Commuter miles (Table 9) were compiled by surveying all resident personnel at the lab starting with the FY08 inventory. All personnel were surveyed the initial two years of employment. Commuter miles for every year thereafter have been estimated based on home zip codes and most common route of travel. The minimal turnover in personnel does not require a yearly survey. The survey estimates number one way trips per week, number of weeks per year, and mileage for each trackable group. Additionally, the percentage personal vehicle and carpooling are used is estimated. For data input, CA-CP separates personnel into three categories: Students, Faculty and Staff. However, the calculator then tallies emissions by two commuter categories, Faculty/Staff commuters and Students commuters.

Table 9: Commuter Miles										
FY Commuter Miles					MT CO ₂ e Emissions					
FY08 (7/07 - 6/08)	203488	13661	217149	8637	77.22					
FY09 (7/08 - 6/09)	153763	19430	173193	6351	62.93					
FY10 (7/09 - 6/10)	173658	16385	190043	7813	69.22					
FY11 (7/10 – 6/11)	168002	18873	186875	7120	62.96					
FY12 (7/11 – 6/12)	164583	16720	181303	7012	61.91					
FY13 (7/12 – 6/13)	162176	11696	173872	6853	60.50					
FY14 (7/13 – 6/14)	153647	11856	165503	6533	57.65					
FY15 (7/14 – 6/15)	181968	15946	197914	7615	67.19					
FY16 (7/15 – 6/16)	173604	13690	187294	7740	68.30					

Commuters' miles resulted in a total of 587.88 MT CO₂e emissions over the study period. This contributes 3.93% to our total net emissions.

Electric Transmission and Distribution Losses (T&D)

Emissions due to electricity lost in transmission and distribution (Table 10) are calculated based on the emissions factors provided by the CA-CP calculator, version 6.0. These emission factors are taken from the Environmental Protection Agency's (EPAs) Emissions & Generation Resource Integrated Database (eGRID), which uses plant specific emission factors for each electrical region in the United States. This calculation is different from previous versions of the calculator, which included these losses in the institution's Scope 2 emissions. This was methodology error that has been corrected in version 6.0 and now includes the emissions due to these losses in Scope 3, indirect emissions.

Electric T&D losses resulted in a total of 816.18 MT CO₂e emissions over the study period. This contributes 5.45% to our total net emissions.

Table 10: Electric T&D Losses						
FY	MT CO ₂ e emissions					
FY07 (7/06 – 6/07)	100.62					
FY08 (7/07 – 6/08)	103.17					
FY09 (7/08 - 6/09)	90.38					
FY10 (7/09 – 6/10)	53.66					
FY11 (7/10 – 6/11)	56.05					

FY12 (7/11 – 6/12)	90.71
FY13 (7/12 – 6/13)	83.73
FY14 (7/13 – 6/14)	84.64
FY15 (7/14 – 6/15)	78.97
FY16 (7/15 – 6/16)	74.25

Paper Purchases

The collection of data for paper purchases (Table 11) was added to this inventory starting with FY 2008. In August 2009, our purchaser began purchasing general office paper with a recycled content of not less than 30% and in 2010 AL began purchasing 100% recycled general use copy paper. In 2014, we were able to purchase other paper products with various amounts of recycled content as shown below.

Upstream emission from purchases of paper resulted in 12.65 MT CO_2e . This contributes to 0.08% of our total emissions.

	Table 11: Paper Purchases											
FY	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	MT CO ₂ e					
	100%	70%	65%	50%	30% -	0%	Emissions					
	Recycled	Recycled	Recycled	Recycled	40%	Recycled						
	Content	Content	Content	Content	Recycled	Content						
					Content							
FY08 (7/07 - 6/08)	0				0	1850	2.53					
FY09 (7/08 - 6/09)	0				0	1650	2.25					
FY10 (7/09 - 6/10)	900				400	0	1.16					
FY11 (7/10 – 6/11)	1500				0	0	1.15					
FY12 (7/11 – 6/12)	400				0	0	0.31					
FY13 (7/12 – 6/13)	1504				2	0	1.16					
FY14 (7/13 – 6/14)	858	12		238	28	0	0.96					
FY15 (7/14 – 6/15)	1226	0		480	0	0	1.46					
FY16 (7/15 – 6/16)	906	0	300	640	0	0	1.67					

Total emissions for Scope 3, indirect sources of emissions, over the 10-year study period were 1816.78 MT CO₂e. This equates to 12.13% of our total emissions

II.C.4 Offsets

AL currently has no on-campus activities and has not purchased any Renewable Energy Credits (RECs) directly to offset carbon emissions.

MD state law requires that energy suppliers meet the Renewable Portfolio Standard (RPS). This rate of return is based on the schedule provided by the MD DGS to reach a goal of 25% by 2020. The renewable energy offset is represented in this report based on AL energy use. See Table 12 for schedule.

Additionally, UMCES was apportioned Renewable Energy Credits associated with the three power purchase agreements (PPA) with Roth Rock, Pinnacle and Mt. St. Mary's through the USM System wide purchase. However, because of the inherent difficulty in tracking RECs, allocations, in FY15 the USM discontinued the practice of allocating RECs to institutions that are not on the Block and Index supply contract – this included UMCES. While our institution may still purchase RECs through their supplier under a separate agreement, FY15 is the last year we will receive an additional annual allocation from the PPAs.

UMCES was allocated the National Green E SRECs totaling 14,080,000 kwh to be used in FY15. AL's prorated amount based on total electric usage is 10.63% (of UMCES) for a total kwh offset allowance of 1,496,704 kwh, however the REC offset cannot exceed the scope 2 emissions for any given year.

FY15 electricity use was 1,240,259 kwh, so we have allocated the 161,234 RPS RECs and 1,079,205 PPA RECs for a total kwh offset of 1,240,259.

The remainder of our PPA REC allocation was used in FY16. FY16 electricity use was 1,166,066, for a RPS REC allocation of 177,242 and a PPA REC allocation of 421,824 resulting in a total offset of 599,066.

Our FY16 Scope 2 emissions are 735.40 MTCO2e and we were able to retire RECs that resulted in a -377.80 MTeCO2 carbon emissions offset for electricity, scope 2 emissions. This results in a net scope 2 emission of 357.6 MTeCO2 for FY 16.

Table 12: Offsets										
FY	Total	MD RPS	RPS -	PPA	Total KWH	MT CO ₂ e				
	Electric	Schedule	% of	National	Offsets	Emissions offset				
	Useage –		KWH	Green E						
	KWH		RECS	KWH RECS						
FY08 (7/07 - 6/08)	0				0	0				
FY09 (7/08 - 6/09)	0				0	0				
FY10 (7/09 - 6/10)	0				0	0				
FY11 (7/10 – 6/11)	1320272	7.5%	99020	0	99020	-68.00				
FY12 (7/11 – 6/12)	1424627	9.005%	128288	0	128288	-80.90				
FY13 (7/12 - 6/13)	1314924	10.7%	132413	0	132413	-83.50				
FY14 (7/13 – 6/14)	1329311	12.8%	170152	0	170152	-107.30				
FY15 (7/14 – 6/15)	1240259	13%	161234	1079205	1240259	-782.20				
FY16 (7/15 – 6/16)	1166066	15.2%	177242	421824	599066	-377.80				

Section III: Budget, Personnel, & Organizational Boundaries

III.A. Budget Data

Operating, research and energy budget data (Table 13) have been provided for each of the fiscal years. AL energy costs over the study period average ~38% of the operating budget and average ~8% of the total operating and research budget. (Note: FY 12 electricity is lower due to Direct Energy billing error that was not corrected until FY13 resulting in higher numbers for FY13.)

Table 13. Dudget Data												
	FY07	FY08	FY09	FY10	FY 11	FY12	FY13	FY14	FY15	FY16		
Operating												
Budget	583,609	562,182	524,066	478,087	458,035	439,325	422,293	398,104	443,924	400,278		
Research												
Dollars	1,619,316	2,096,085	1,635,780	2,329,699	1,470,448	1,294,997	1,817,057	2,647,560	3,164.050	2,411,190		
Total												
Budget (R&O)	2,202,925	2,658,267	2,159,846	2,807,786	1,928,483	1,734.322	2,239,350	3,045,664	3,607,974	2,811,468		
Energy Budget												
Electricity	103,932	139,224	137,288	111,975	125,605	89,565	131,886	98,522	115,130	108,046		
Natural Gas	81,429	79,751	90,104	50,250	68,515	57,989	53,873	55,090	56,567	48,227		
Water/Sew er	2,388	3,335	2,573	2,732	4,590	3,545	5,470	2,573	2,551	3,059		
Total Energy												
Costs	187,749	222,310	229,965	164,957	198,710	151,099	191,229	156,185	174,248	159,332		
Energy % of												
Operating	32%	40%	44%	35%	43%	34%	45%	39%	39%	40%		
Energy % of Total	9%	8%	11%	6%	10%	9%	9%	5%	5%	6%		

III.B. Personnel Data

Personnel at the AL facility have reached an average level of about 56 (Table 14). Personnel counts were derived from the Space Guidelines and Planning (SGAP) reports filed each February and are based on personnel as of the previous Fall semester.

Table 14: Personnel Data									
FY	Full Time Students	Full Time Eq. Faculty	Full Time Eq. Staff	Number of Employees					
FY07 (7/06 - 6/07)	16	27	16	59					
FY08 (7/07 - 6/08)	9	26	19	54					
FY09 (7/08 - 6/09)	12	23	20	55					
FY10 (7/09 - 6/10)	11	26	19	56					
FY11 (7/10 – 6/11)	15	27	16	58					
FY12 (7/11 - 6/12)	11	25	24	60					
FY13 (7/12 – 6/13)	8	24	21	53					
FY14 (7/13 – 6/14)	8	23	20	51					
FY15 (7/14 – 6/15)	11	27.5	21.5	60					
FY16 (7/15 – 6/16)	11	27	18	56					

III.C. Organizational Boundaries

The Appalachian Laboratory sits on 8.47 acres at the south end of the Frostburg State University campus near the corner of University Drive and Braddock Road. Figure 1 shows the AL property lines as adjusted by the 2015 revised ground lease to accommodate the Business Park storm water management requirements. The blue highlighted section identifies the storm water ponds as a no-build area to establish a buffer between the Business Park activities and the UMCES Appalachian Lab.




Figure 1: Property Boundaries

Figure 2 is an October 2015 image courtesy of Google Earthtm 2016 showing an aerial view of the AL campus.




Figure 2: Aerial View of AL Property

The Appalachian Laboratory campus is approximately 8.47 acres and currently includes 4 buildings: The main laboratory/administration building (42,843 Gross Square Feet (GSF)); the greenhouse (4,266 GSF); a chemical storage building (363 GSF) and a garage (855 GSF), comprising 48,327 GSF of building space accounted for in this inventory.

Section IV: Methods & Outcomes

IV.A. Methods

For this inventory, AL used the Campus Carbon Calculator v9.0 (CCC) developed through collaboration with the University of New Hampshire and CA-CP. We chose to use the CA-CP model because it is designed for campus environments and has already been widely used by Colleges and Universities across the country. Additionally, using this model will provide for consistency and fair comparisons of emissions across UMCES units.

Data collected were entered into the CA-CP calculator to obtain the mt eCo_2 emissions for each source. As new versions of the calculator are released, the new and existing data are entered into the most recent calculator so data are current with the latest emission factors. The emissions tables are updated annually to reflect any changes.

IV.B. Outcomes

As reflected in the following table (Table 15) and the following chart (Chart 1), AL emissions rise and fall in varying categories over the study period. However, over-all our emissions are on a downward path. Historically, there were notable decreases in overall emissions after 2004. Higher pre-2004 emissions were attributed to several factors. The building was a new facility and the cost associated with running the facility did not yet have a baseline. Additionally, it takes time to determine where and what resources at a new facility can be adjusted to save energy and cut costs without impacting research and education goals. Once the facility became established, areas for cost and energy saving were addressed as appropriate.

For this study period, we see a slight increase in years FY08, which can partially be attributed to the addition of the commuter travel and paper purchase study areas to the emissions inventory.

The drops and averages in other categories on can be attributed to the adjustment and streamlining of facility practices. Areas such as increased recycling followed by a reduction in solid waste disposal, light and heat conservation both by building and individual offices, and increased use in video conferencing all contributed to a decrease in carbon emissions and our climate footprint.

Coming to FY16, we see a significant drop in emissions. This is due to the combination of efforts. AL completed several facilities renewal projects that streamlined and upgraded our laboratory exhaust systems and provided better automated internal controls of the HVAC systems. Additionally, AL retired RPS recs and was also apportioned the remaining PPA recs that provided for ~50% offset of our scope 2 - electricity emissions. AL continues to keep aging equipment serviced and maintained to provide the best energy efficiency possible and plans are in place to replaced EOL equipment with energy efficient models.

Although an established facility allows for better understanding of the facility practices for energy and cost reductions, it also implies that the equipment has acquired some age. As of December 2016, most of the major equipment, boilers, heating and AC, generator, etc. were 18 years old and are not as energy efficient as they were when installed nor as energy efficient as newer models. When combined with yearly weather patterns, this would account for the slight ebb and flow in energy cost and emissions, even with usage reductions.

Summary of CO₂e Emissions by Source and Year.

The following table shows a summary of the Appalachian Laboratory's CO₂e emissions in metric tons by year and sources, as well as a total for all sources. *Note: Commuter miles & paper purchases were added to the inventory in FY08.*

	FY 07	FY 08	FY 09	FY 10	FY 11	FY12	FY13	FY14	FY15	FY16	Total by Source
Electricity	1017.37	1043.15	9138.9	868.20	906.91	898.47	829.28	828.35	782.19	735.40	8833.20
OCSS 1: Natural Gas	385.64	357.95	392.39	381.34	379.99	344.04	344.40	366.98	223.11	304.74	3480.58
OCSS 2: Fuel Oil #2	0.0	0.00	0.00	28.80	0.00	0.00	0.00	0.00	0.00	0.00	28.80
Fleet	56.51	44.92	65.16	75.37	49.61	35.20	31.80	41.75	39.84	37.75	477.93
Fugitive Emissions	0.0	24.92	126.09	30.79	30.79	30.79	32.73	30.79	32.73	0	339.62
Solid Waste	3.22	3.22	3.22	3.22	3.22	3.22	3.22	2.23	2.23	2.23	29.26
Wastewater	0.06	0.14	0.10	0.08	0.19	0.12	0.17	0.11	0.08	0.08	1.13
Air, Rail, Bus Travel	46.35	56.87	27.09	39.64	24.21	32.91	47.17	24.20	36.66	34.37	369.47
Commuter Miles	-	77.22	62.93	69.33	62.96	61.91	60.50	57.65	67.19	68.30	587.88
Electric T&D Losses	100.62	103.17	90.38	53.66	56.05	90.71	83.73	84.64	78.98	74.25	816.18
Paper Purchases	-	2.53	2.25	1.16	1.15	0.31	1.16	0.96	1.46	1.67	12.65
Total by FY MT CO2e	1609.77	1714.08	1683.50	1551.47	1515.11	1497.69	1437.17	1447.65	1334.18	1258.79	14976.71
Offsets – Wind/Solar Renewable Energy PPA & RPS			-	_	(68.00)	(80.90)	83.50)	(107.30)	(782.20)	(377.80)	(1499.70)
Net MT CO ₂ e	- 1609.77	- 1714.08	- 1683.50	-	(08.00)	(80.90)	1350.67	1340.35	482.28	880.99	13477.01

Table 15: Summary of CO₂e emissions by source and year

With continued monitoring of our emissions, our goal is to keep emissions on a downward slope. This will require continued monitoring and maintenance of equipment to gain as much energy efficiency as possible from existing equipment, replacement of non-energy efficient equipment, and continuation of recycling and conservation efforts already in place. With the efforts in place thus far and available RECs, AL was able to reduce our emission in FY16 to a level of 880.99 MtCO₂e

The following charts provide a representation of our emissions data based CA-CP Carbon Calculator results.




Chart 1: Total carbon emissions by Fiscal Year over the study period.

Chart 2: Carbon emissions by source and year over the study period.





Chart 3: Break-out comparison of carbon emissions by source.







Chart 4: mt eCO₂ emissions trend over the study period

Chart 5: Total emissions over the study period by source.



Charts 6 & 7: Total emissions over the study period by emission scope





Chart 6 shows the total emissions by scope over the study period as generated by the Campus Carbon Calculator.

Chart 7 provides an area view of the total emissions by scope over the study period as generated by the Campus Carbon Calculator.



Section V: Results & Actions

V.A. Results

For the 10-year study period, our GHG inventory shows that 64.43% of the Appalachian Lab's CO₂ emissions result from *electricity* use. 58.98% from electricity use and 5.45% from electricity transmission and distribution losses. *On-Campus Stationary Sources* contribute a total of 23.43%, 23.24% from *natural gas* and 0.19% from *fuel oil #2*. Comparatively, only 2.47% of emissions result from *air, rail and bus transportation*, 3.19% from *fleet use*, 2.27% from *fugitive emissions*, 3.93% from *commuter travel*, 0.20% from *solid waste disposal*, 0.08% from *paper purchases* and 0.01% is from *wastewater*. Additionally, we have been able to offset our emissions by 10.05% and in FY15 through retiring PPA recs, we were able to offset our scope 2 emissions by 100% and by approximately 50% in FY16

V.B. Actions

UMCES Appalachian Laboratory has and will continue to use the results from this GHG inventory to help set reduction targets and lessen our potential climate footprint. Several plans are in place and are being developed to help reach this goal. Our primary targets will begin with addressing the emissions from the building itself and working outward. Below is a list of our current and planned courses of action for reductions. These are defined in greater detail in the Climate Action Plan (CAP) with strategies and suggested policies to implement them.

Current courses of action:

- 1) Administrative Policy Modifications
- 2) Revised Building Maintenance Plans
- 3) Stringent Fleet vehicle assignments
- 4) Hybrid vehicle purchases
- 5) Greener landscaping
- 6) Meadow and tree plantings
- 7) Environmentally Preferred Procurements
- 8) IT Policies
- 9) Recycling Program
- 10) Renewal Energy Certificates (REC)
- 11) Increased video conferences
- 12) Power-down policy
- 13) Chemical laboratory re-design
- 14) LED lamps to replace metal halide lamps in parking lot lights, emergency building lamps, loading dock lamps and pedestal lamps at entrance.

Proposed courses of action to reduce our climate footprint are:

- 15) Installation of solar film on windows
- 16) Installation of a renewable energy source
- 17) Increased building insulation
- 18) Gray water and/or Barrel collection systems
- 19) Carbon Offset Projects

AL facility staff are currently reviewing and implementing the list of recommendations provided by the site audit as part of the Energy Performance Contract (EPC) with Constellation Energy.

Section VI: Climate Leadership Commitment

VI.A. Comprehensive Commitment

Dr. Boesch signed the initial ACUPCC commitment on December 18, 2007 and on October 5, 2015, he signed the new, rebrande. The Climate Commitment integrates carbon neutrality with climate resilience and provides a systems approach to mitigating and adapting to a changing climate. The Resilience Commitment is focused on climate resilience and community capacity-building to deal with a changing climate and resulting extremes while the he Carbon Commitment is focused on reducing Greenhouse Gas emissions and achieving carbon neutrality as soon as possible.

Our commitment to climate change is echoed in the development of an UMCES-wide Environmental Sustainability Council (ESC) that consists of students, faculty and staff from the Center's four laboratories (AL, CBL, HPL and IMET), Center Administration, and Maryland Sea Grant College Program. The ESC functions as a task group and advisory body to the President and Administrative Council.

The mission of the ESC includes:

- 1. Engaging the faculty, staff and students in an ongoing dialogue about reaching environmental sustainability.
- 2. Providing assessments of the sustainability of operations and recommendations to the President and Administrative Council for improved practices and policies.
- 3. Serving as the "institutional structure" to guide the development and implementation of a comprehensive climate action plan in fulfillment of the ACUPCC signed by Dr. Donald F. Boesch on December 18, 2007.

In order to support the UMCES ESC, the Appalachian Laboratory Environmental Sustainability Council (ALESC) was created to serve as the laboratory/department level advisory council. This council worked with the Administration to complete a comprehensive inventory of greenhouse gas emissions and will continue to work with the Administration to complete and implement an institutional action plan for becoming climate neutral. These efforts shall be consistent with the standards provided in the Implementation Guide (http://secondnature.org/climate-guidance/).

Our Climate Action Plan will help the Appalachian Laboratory achieve the goal of carbon neutrality. This plan is a "living document" that will be updated regularly to meet this new commitment by our University, State and Nation. The recommended goal for the State of Maryland is to introduce legislation requiring the development and implementation of programs to reduce GHG emissions by 90% by 2050 with interim goals and updates. UMCES is following this lead by setting the same or similar goals for reductions.

To be consistent with other UMCES laboratories, the timeline (Table 16) for our goals for carbon emissions reductions are based on FY08 levels. Our total, Scope 1, 2 and 3 emissions for FY 08 were 1714.08 MT CO_2e

Table 16: Goals for Emissions Reductions				
Fiscal Year	GHG	Appalachian Laboratory	Appalachian	Appalachian Laboratory
	Emissions	Reduction Goals -	Laboratory -	Actual Emissions - % of
	MT CO ₂ e	Relative to FY08 Levels	Actual	reduction from baseline

	Goals		Emissions	
2008 - Baseline	1714.08	Actual	n/a	n/a
2012	1542.67	10% below 2008 levels	1416.79	17.34 % below FY 08 levels
2015	1459.96	15% below 2008 levels	482.3	71.86% below FY 08 levels
2030	1285.56	25% below 2008 levels	TBD	TBD
2040	857.04	50% below 2008 levels	TBD	TBD
2050	171.40	90% below 2008 levels	TBD	TBD

VI.B. Climate Action Plan

As a signatory to the ACUPCC, rebranded The Climate Commitment, the following milestones have been set into place.

- 1. Develop a comprehensive Climate Action Plan
 - a. Within two months, of signing this document, create institutional structures to guide the development and implementation of the plan.
 - b. Within one year, actively support a joint campus-community task force to ensure alignment of the Plan with community goals and to facilitate joint actions, and a complete a greenhouse gas emissions inventory, identifying near term opportunities for greenhouse gas reductions.
 - c. Within two years, lead and complete an initial-campus-community resilience assessment including initial indicators and current vulnerabilities.
 - d. Within three years of the implementation start date complete the Plan to include:
 - i. A target date for achieving carbon neutrality as soon as possible
 - ii. A target date by which thresholds of resilience will be met
 - iii. Interim target dates for meeting milestones that will lead to carbon neutrality and increased resilience
 - iv. Mechanisms and indicators for tracking progress
 - v. Actions to make carbon neutrality and resilience part of the curriculum
 - vi. Actions to expand research in carbon neutrality and resilience.
 - e. Review, revise if necessary, and resubmit the climate action plan not less frequently than every five years.
- 2. Submit an annual evaluation of progress
 - a Within one year of the implementation and every year thereafter, complete annual evaluation of progress.
 - b Make the action plan, annual evaluation of progress publically available by submitted to Second Nature's reporting system.

Given the geographical distribution of the UMCES Labs, each lab is tasked with completing the GGE inventory for their respective campus. This data is then collected and compiled to create an UMCES master emissions inventory. This resulting data is used to prepare our UMCES Climate Action Plan and to complete the annual evaluation and progress reporting as required by the Commitment.

VI.B.1. Carbon Commitment

The first component of the Climate Commitment Climate Action Plan is the Carbon Commitment. This requires the establishment of a target date for carbon neutrality, mechanisms to track progress, evaluations of emissions reductions including greenhouse gas inventories and progress reporting.

Although our emissions have been on a slight decrease for the last several years, the bulk of the total emissions are from the building electric and HVAC. Our first step toward continuing our reduction of our climate footprint must focus on the use and consumption of energy within the building. Reductions will

require monitoring and continued maintenance of equipment to gain as much energy efficiency as possible from existing equipment, replacement of non-energy efficient equipment and continuation of recycling and conservation efforts already in place.

In order to reduce our carbon footprint, the AL facility staff will continue to review the list of recommendations provided by the site audit as part of the Energy Performance Contract (EPC) with Constellation Energy. Specific preliminary energy conservation measures include:

ECM#1: Installation of Variable Frequency Drives (VFDs) on the central plant distribution Chilled Water (CW) and Hot Water (HW) pumps. ECM#2: Installation of VFDs on the fume hood exhaust fan ECM#3: Air Balancing/Retro-Commissioning building Air Handling Units (AHUs) ECM#4: Metasys (direct digital controls) DDC Control Retro-Commissioning –upgrade ECM#5: Retrofit lamps to 25 watt

ECM#6: Retrofit Metal Halide Lamps to T5

ECM#7: Building Envelope: Caulking and Sealing

ECM#8: Insulation of brick wall that connects to lobby glass curtain walls.

VI.B.1.a. Current Energy Conservation Measures

In order to meet our reduction goals, the following strategies have already been or are being implemented.

VI.B.1.a.(1) Administrative Practices

Through our Capital Improvement Planning process, AL will ensure that all new buildings, renovations and additions are built to meet or exceed the LEED Silver Certification. New buildings, when construction is necessary, will employ the latest technologies and be designed with upfront commitment to energy efficiency that will reduce GHG emissions and lower operating costs. Facilities Renewal projects will incorporate "green" upgrades and improvements into existing buildings in order to build a more sustainable campus.

To avoid increasing our carbon footprint with new buildings, we will continue to maximize the use of existing spaces, and will investigate ways to renovate, modernize and retrofit unused or less desirable areas to meet new needs and avoid the necessity for additional construction.

The AL ESC will be responsible for the preparation and maintenance of an emissions inventory as a guiding tool for campus sustainability and ongoing efforts to reduce our carbon emissions. This will enable the tracking of AL's goals and achievements.

The AL ESC Sustainability Website designed to educate, encourage and promote sustainability efforts was launched in July 2008. The website contains the sustainability reports, recycling efforts, "green" tips as well as other information relating to a sustainable campus.

VI.B.1.a.(2) Facilities Operations

Heating and cooling.

Thermostats are programmed to operate in occupied mode 24 hours a day with minimum and maximum thresholds established for many building zones as most of the lab spaces require continuous operation. This policy was established since temperature recovery was too long to meet the required needs, causing comfort issues. If necessary, when an area is unused for a longer stretch of time, the thermostats can be set back during this unoccupied time period for maximum efficiency. Additionally, all windows were recaulked and sealed in March 2008 to prevent unnecessary heating and cooling losses.

Landscaping.

Exterior landscaping has been simplified to minimize maintenance, i.e. grass has been planted in previously mulched / bedded areas to decrease maintenance costs, both employee time and materials. Additionally, a natural species meadow has been planted on the grounds as a demonstration area and to reduce maintenance efforts.

Recycling and Waste Minimization

AL's recycling program currently includes all mixed office paper, cardboard, paperboard, magazines, toner cartridges, plastics #1 & #2, batteries (alkaline and rechargeable), CPUs, cell phones, monitors, printers and mixed metals through the Allegany County Recycling program.

- a. Prior to 2002, all of AL's recyclables were included with Frostburg State University.
- b. January 2002, AL initiated their own recycling program, recycling all mixed office paper, magazines, toner cartridges, wet cell batteries, CPUs, cell phones, monitors, printers and mixed metals
- c. February 2004, rechargeable batteries and cardboard were added.
- d. September 2004, plastics 1 & 2 were added to the recycling program.
- e. October 2007, alkaline batteries were added to the recycling program.
- f. February 2008, paperboard was added to the recycling program
- g. December 2011, glass was added to the recycling program.
- h. Annually, building wide electronics recycling

Our program makes provisions for recycling the required glass, plastic (1&2), aluminum and paper to be in compliance with Environment Article § 9-1706 (b) and (c) of the Annotated Code of Maryland. Additionally, our program also includes mixed cans, cardboard, batteries, lamps, books, toner, white goods, and electronics. Continued recycling efforts have enabled AL to keep our solid waste to a minimum since 2007, when the amount of solid waste was decreased from a dumpster pickup once a week to once every-other week. This was a 50% reduction in solid waste going to the landfill, which also resulted in a reduction in emissions from the disposal company trucks, and cost savings for the lab. AL maintenance staff has increased maintenance on aging equipment to gain as much energy efficiency as possible and we are replacing non-energy efficient equipment with newer, more efficient models when available and when replacement is necessary.

Power Down Policy

AL has implemented policies to "power down" during non-working hours. This should include computers, printers, equipment, lights, etc. All power sources that will not be harmed by being powered off should be addressed. Implementing software that automatically powers down computer monitors when not in use would aid to this adjustment. The main barriers associated with a power-down policy are personnel related. With often hurried schedules, people simply forget. This is one of the easiest actions that can be implemented building wide. However, just asking does not always work. Policies and possible software to support the "power down" efforts and also to educate and train employees how to set up power save functions on equipment is encouraged. In addition, sustainability education can serve to unite the community by fostering a common understanding of the challenges faced in seeking to live and work sustainably.

Heating, Ventilation, and Air-Conditioning (HVAC)

Appalachian Laboratory's chemical laboratories are designed as negative pressure labs for containment purposes, which results in significant losses of heated or cooled air from the building. As of 2015, the building has been re-engineered to allow more control over individual rooms and adjust the exhaust when facility use and needs change have been discussed but consultation with an engineer is important to ensure health and safety of laboratory users. This has significantly decreased the building's energy usage.

Additionally, we completed the installation of variable frequency drives on the exhaust fan (ECM-2), and the outdated Metasys Controls have been upgraded to Facility Explorer as our automated building controls to ensure proper operation based on current building needs (ECM-3 & 4). Additionally, planned improvements include the installation of variable frequency drives on the hot water & chilled water pumps to meet ECM-1. This will be completed when the budget allows.

Lighting System Retrofits

AL is continually looking at ways to reduce energy cost and use though lighting retrofits, referenced in **ECM-5&6.** Additionally, in areas that have been over-lit, extra lamps are removed. This is a relatively easy, cost-less way to reduce electricity use. Almost all offices and labs have windows, so de-lamping in these areas goes mostly unnoticed.

In 2017, the Appalachian Lab had several building areas re-lamped to install energy efficient LED bulbs. First, the exterior parking lot lamps were retrofitted to remove the 175W metal halide lamps and the magnetic ballasts (208 W total) and replace them with 45W LED lamps. The estimated KWHs saved on this project are 21,360 kwh per year and an estimated \$3,396 in energy costs per year.

Additionally, in 2017, 5 - 208W Metal Halide lamps and the magnetic ballasts were replaced on our loading dock with 5 - 24 W LED lamps. The estimated KWHs saved on this part of the project are 8,037 KWHs per year and an estimated \$1,278 in energy cost per year.

Finally, in 2017, emergency lights on the second floor of the building were re-lamped from 32W Fluorescent bulb to 15W LED bulbs. A total of 16 lamps on the second floor hallway were replaced for an estimated savings of 2,376 KWHs and an estimated \$378 in energy costs save per year.

These new LED lamps have a guaranteed life of 5 years as compared to the Metal Halide lifespan of about a year so not only is there an energy savings, there is also a direct savings in the replacement costs. The savings returned will pay for the project cost investing in just over year.

AL is scheduled to replace the current fixtures in the 12 exterior entrance way pedestal lights with LED fixtures as well as the emergency lighting for the 1^{st} and 3^{rd} floor hallways.

VI.B.1.a.(3) Procurement Practices

AL will continue to augment the fleet with flex fuel, energy efficient vehicles when appropriate and fiscally possible.

AL paper purchases will, at a minimum, contain 50% post-consumer recycled paper. In October 2009 we moved to 100% post-consumer recycled paper. Office products such as envelopes and mailers & food service items such as paper towels, napkins, cutlery, plates and cups are purchased with the maximum recycled content available through our purchasing sources. The University System of Maryland is committed to purchasing energy efficient and environmentally friendly products and provides tools and quick tip sheets to help locate and purchase these environmentally friendly products. Both of the approved USM Master Contracts for office supplies now include an extensive selection of green products.

VI.B.1.a.(4) Technology Practices

New IT purchases look to computer systems that support video and sound so that meetings can be held for small groups over web based conferencing software. This software is normally open source or fairly inexpensive, simple to use and has helped eliminate the need for faculty and staff to travel in order to keep research collaborations and business communications open. AL has three such systems for use by the AL community for meetings or remote classes. CRT monitors are being surplused and replaced with LCD monitors. Overall, LCD monitors can reduce energy consumption by 60% when compared to an equivalant viewing area sized CRT. Additionally, LCD's are now priced comparatively to CRTs, their carbon footprint is much smaller for the equivalent viewing area, the image quality is excellent and they reduce eye strain as there is no glare or screen flicker.

AL's IT administrator is continually moves toward virtualization. Virtual machines have allowed the power down of 12+ servers without affecting applications or users. This is a significant decrease in energy consumption and cost without a decrease in the service provided to the AL community. Virtualization has eliminated wasteful network equipment and has reduced energy consumption and floor space requirements.

Many office users are opting for laptop computers instead of traditional desktop computers. In addition to providing portability, these machines can use as little as 25% of the electricity of a standard desktop computer and monitor. Obsolete or damaged IT equipment is cannibalized and then e-cycled through the county recycling program. As newer equipment is purchased based on computational need, older viable equipment is re-deployed to areas with less demand.

Over long breaks and holidays, only the main critical systems in the computer center remain powered on, all other systems are powered off.

VI.B.1.a.(5) Transportation Practices

AL fleet manager will continue to assign fleet vehicles based on needs and fuel efficiency. The large 4WD vehicles are not assigned for single person trips or used for non-field related travel except when absolutely necessary.

Due to our remote location, public transportation does not play a major role in our transportation practices and policies. However, the Bay Runner shuttle is now available daily for trips to and from the BWI airport from Frostburg. Additionally, many faculty and staff live locally, so biking and walking to work are often standard practice and have been encouraged by providing safe, dry, inside storage areas for bicycles.

AL and UMCES have evaluated the location and distances traveled to frequent administrative meetings, revising schedules and, when appropriate, substituting the Interactive Video Network, or web based conferencing programs such as Polycom PVX and Skype desk top solutions, in lieu of face-to-face meetings.

VI.B.1.b. Suggested Energy Conservation Measures

These measures are recommended but have not yet been formally planned or initiated.

VI.B.1.b. (1). Additional Building Insulation

1. Installation of insulating window film or blinds. These insulting blinds and films reduce the amount of solar heat transmission through window glass by increasing the solar reflection (not necessarily visible reflection) and solar absorption of the glass to save on cooling and by reflecting more of the interior room heat back into the room where it is needed to save on heating costs. The primary barriers to this option are the cost and the displacement of personnel during the installation. In the interim, all windows were resealed and caulked to reduce heating and cooling loss. AL will complete these as needed and when funds become available

- 2. Installation of additional attic insulation to help increase energy efficiency of the entire building and reduce our emissions. The primary barriers to this option are the cost and proof of energy savings. The installation of additional insulation in the attic will reviewed and scheduled should the energy savings support the cost.
- 3. Installation of additional insulation between brick and glass curtain walls in the lobby. The brick wall may not contain insulation at the window frame to reduce heat loss. Adding insulation panels will reduce heat loss and the heat transfer along the brick wall and behind the window frame. (ECM-8) Primary barrier is cost. AL will complete this insulation as soon as funds are available.
- 4. Inspection and review of building exterior to determine the condition and need for addition caulking and sealing of building seams and cracks to reduce both air infiltration and the building heating load. (ECM-7). Primary barrier is cost. AL will complete this caulking and sealing as soon as funds are available

VI.B.1.b. (2). Renewable Energy Sources (Local & System Wide)

- 1. *Wind Energy*: Site locations for wind turbines must be Class 1 or at least 4.4 meters per second (mps) average wind speed in order to be an effective alternate energy source. After review by the Maryland Energy Administration in November 2007 and confirmation from wind speed history reports from our greenhouse anemometer, it was determined Appalachian Laboratory's location does not meet the minimum recommended speed for use of a wind turbine, thus this would not be a viable option at this time. A solution would be to participate and promote in system wide efforts to use renewable sources of energy that will benefit all institutions.
- 2. Solar Energy: The next option is to research the possibility solar panel system as an alternate energy source. This could be grid-tied or off grid depending on the final application of system. The AL site would need to be surveyed by certified installer to determine options for location, size, and type of solar system. The barriers to solar energy include the initial cost of the materials and the ability to retrofit with current building systems. Solar energy is only able to generate electricity during daylight hours and weather and pollutions levels can affect the efficiency of solar cells. Although, at first glance, this does not appear to be the most viable application for AL, the installation of a solar array that would power our greenhouse, would be an excellent test model and something that can be explored. The AL site would need to be surveyed by certified installer to determine options for location, size, and type of solar system. Additionally, we will continue to participate and promote system and statewide initiatives to use renewable sources of energy that will benefit all institutions.
- 3. *Solar Hot Water System:* The south side of the building would be a prime location for this type of a system; however, a water use survey would need to be conducted at lab as the initial step in determining if the quantity of hot water used at the lab warrants further investigation into this system.
- 4. *Electric Vehicle (EV) Charging Station:* AL is looking at options and locations to install an EV charging station in conjunction with the first electric vehicle purchased for our AL fleet.

VI.B.1.b. (3). Water Collection and Re-use

1. *Gray water system* to collect, treat and re-use water from wash areas in the building as a source of plant irrigation, to reduce use of fresh (drinking) water and to reduce the water sent to treatment plant. Additional research on gray water and barrel systems is needed before an estimate on the emissions reductions can be established. The main barriers to a gray water system are the costs associated with retrofitting the building facilities in order to re-route wash water to a gray water system. Local authorities and health officials would need to be contacted regarding any special/local concerns and regulations with respect to gray water systems. A professional engineer would need to be involved to insure that only gray water, water-excluding black waters

and free of garbage-grinder residues, is re-routed. Additional data collection to determine if the amount of wash water would warrant the installation of a gray water system.

2. **Barrel system** to collect and store rainwater for later use on demand. The main barriers to a barrel system are, again, the costs associated with retrofitting the building facilities in order to reroute rainwater to the barrel system. A well designed system that would provide for overflow, insect and mosquito control and easy access to water is a requirement. To decrease the cost associated with the design, a barrel system could be engineered to collect rainfall from the greenhouse only. As the greenhouse facility is the largest consumer of water we have, it would be good business practice to make this the first structure to be fitted for this type of system and possible an excellent test model.

VI.B.1.b. (4). Carbon Offset Projects

Carbon offset projects to reduce or remove CO₂e GHG emissions, are used to counterbalance or compensate for ("offset") emissions from other activities of the institution. Carbon offsets represent the act of reducing, avoiding, destroying or sequestering the equivalent of a ton of GHG in one place to "offset" an emission taking place somewhere else. Offsets generally represent direct emission reductions or sequestration and can be from non-electric sources, such as planting new tress on previously unforested acreage. Offsets should be used to reduce Scope 1 and Scope 3 emissions ensuring that each ton emitted is wholly counterbalanced by an additional emission reduction. Offsets face strict rules for approval, including the requirement that the emission reduction credited be real, permanent, verifiable, and most importantly, additional to a business-as-usual scenario. This will present an actual cost to the institution. Budget concerns always impact new projects, especially ones that provide no tangible products or results. Offsets provide for a direct reduction in an institution's carbon footprint, usually from Scope 1 & 3 emissions. Emissions must be reduced by all other methods in order to reach the lowest reduction point. Once this is done, the quantity of offsets that needs to be created in order to offset emissions from sources that cannot be reduced or avoided will be more attainable.

VI.B.1.a. (5). Renewable Energy Certificates (RECs)

RECs, represent 1 MWh of energy generated from a clean, renewable source, such as wind, solar, hydro, or certain types of renewable biomass. RECs bought - either from the utility as "clean energy" or from independent REC suppliers - in addition to actual electricity, are usually used to neutralize Scope 2 emissions by matching out each "dirty" megawatt of electricity an institution uses with a "clean" megawatt represented by a REC. AL currently has no on-campus activities and has not purchased any Renewable Energy Credits (RECs) directly to offset carbon emissions. However, MD state law requires that the supplier meet the Renewable Portfolio Standard (RPS,) based on schedule provide by DGS to meet a 25% portfolio by 2020. This schedule increases by year and has been applied to our energy use as represented in this report. Additionally, beginning in FYs 11, UMCES was apportioned Renewable Energy Credits associated with the three power purchase agreements with Roth Rock, Pinnacle and Mt. St. Mary's through the USM System wide purchase. However, because of the inherent difficulty in tracking RECs, allocations, begin in FY15 the USM discontinued the practice of allocating RECs to institution that are not on the Block and Index supply contract – this included UMCES. While our institution may still purchase RECs through their supplier under a separate agreement, after FY 15 we no longer receive an additional annual allocation from the PPAs

VI.B.2. Resilience Commitment

The second component of the Climate Commitment Climate Action Plan is the Resilience Commitment. This requires an initial campus-community resilience assessment including indicators and current vulnerabilities, mechanisms to track progress, risk and response evaluations, and progress reporting.

As part of our resilience plan, we have identified potential problems and events to assess our vulnerabilities by determining the at-risk areas. This includes investigating options, evaluating the risks and cost associated with each event and recommending actions to adapt. We have outlined our initial evaluation of events and at-risk areas in Table 17.

, ,	At Risk Areas/Vulnerabilities	Posnonso
Event - Spring		Response
Snow melt	Localized flooding causing damage to SWP, 1 &2.	Annual maintenance to clear ponds to ensure proper and quick drainage to avoid
	damage to 5 W1, 1 &2.	overflows.
	Main or side roads blocked to	Alternate routes.
	emergency response teams.	
Event - Summer	At Risk Areas/Vulnerabilities	Response
Extreme Heat	Increased utility usage.	Reduce all excess usage to relieve strain on
		utilities.
	Strain on transformers and	Reduce all excess usage to relieve strain.
	AHUs.	
	Fire hazards.	Additional monitoring of at risk areas, EPP in
		place to handle response.
Event - Summer	At Risk Areas/Vulnerabilities	Response
Hurricane/Tornado	Property damage.	EPP in place to handle response.
	Personal Injury.	EPP in place to handle response.
	Interruptions to research and	Emergency generator for short term power to
	business operations.	allow longer provisions to be made; Systems
		in place for backup of critical data, on and
	Main or side roads blocked to	offsite. Alternate routes.
	emergency response teams.	Anemale roules.
	Total facility loss.	EPP in place to handle response.
Event - Summer	At Risk Areas/Vulnerabilities	Response
Super Storm	Property damage.	EPP in place to handle response.
1	Personal injury.	EPP in place to handle response.
	Interruptions to research and	Emergency generator for short term power to
	business operations.	allow longer provisions to be made; Systems
		in place for backup of critical data, on and off
		site.
	Main or side roads blocked to	Alternate routes.
	emergency response teams. Total facility loss.	EPP in place to handle response.
Event - Summer	At Risk Areas/Vulnerabilities	Response
Event - Summer		-
Lightning	Property damage	FDD in place to handle response
Lightning	Property damage.	EPP in place to handle response.
Lightning	Damage to electrical and	Systems in place for backup of critical data,
Lightning		

Table 167:	Events.	At-Risk	Areas and	Response
	L'unites,	THU INDIX	mu cas anu	nesponse

	Interruptions to research and business operations. Fire hazards.	Emergency generator for short term power to allow longer provisions to be made; Systems in place for backup of critical data, on and offsite. EPP in place to handle response.
Event - Fall	At Risk Areas/Vulnerabilities	Response
Hurricane	Property damage.	EPP in place to handle response.
	Personal injury.	EPP in place to handle response.
	Interruptions to research and business operations.	Emergency generator for short term power to allow longer provisions to be made; Systems in place for backup of critical data, on and offsite.
	Main or side roads blocked to	Alternate routes.
	emergency response teams.	
	Total facility loss	EPP in place to handle response.
Event - Fall	At Risk Areas/Vulnerabilities	Response
Super Storm	Property damage.	EPP in place to handle response.
	Personal injury.	EPP in place to handle response.
	Interruptions to research and	Emergency Generator for short term power to
	business operations.	allow longer provisions to be made; Systems in place for backup of critical data, on and offsite.
	Main or side roads blocked to	Alternate routes.
	emergency response teams.	
	Total facility loss.	EPP in place to handle response.
Event - Fall	At Risk Areas/Vulnerabilities	Response
Nor'easter	Property damage.	EPP in place to handle response.
	Personal injury. Interruptions to research and business operations. Localized flooding.	EPP in place to handle response. Emergency generator for short term power to allow longer provisions to be made; Systems in place for backup of critical data, on and offsite. Maintenance to clear ponds and storm drains to ensure proper and quick drainage to avoid overflows.
Event - Winter	At Risk Areas/Vulnerabilities	Response
Extreme Cold	Piping systems. Increased utility usage.	Additional monitoring of at risk areas such as ceilings and attics. Reduce excess usage to relieve strain on utilities.
	Interior Flooding	Plan of action in place to cut water supply, control water flow and cleanup.
Event - Winter	At Risk Areas/Vulnerabilities	Response
Nor'easter	Property damage.	EPP in place to handle response
	Personal injury.	EPP in place to handle response

	Interruptions to research and business operations. Localized Flooding.	Emergency Generator for short term power to allow longer provisions to be made; Systems in place for backup of critical data, on and off site. Maintenance to clear ponds and storm drains to ensure proper and quick drainage to avoid overflows
Event - Winter	At Risk Areas/Vulnerabilities	Response
Extreme Snow	Property damage.	EPP in place to handle response.
	Personal injury.	EPP in place to handle response.
	Interruptions to research and business operations.	Emergency generator for short term power to allow longer provisions to be made; Systems in place for backup of critical data, on and offsite.
	Building and/or greenhouse roof collapse.	Close monitoring of roof for heavy snow accumulation, plans for removal of snow and closure as/if necessary to prevent injuries.
	Falling ice and snow at building perimeter-danger to	Close monitoring of roof for heavy snow accumulation above exits/entrances and
	pedestrians.	closure as/if necessary to prevent injuries.
	Main or side roads blocked to emergency response teams.	Alternate routes.

The Appalachian Lab's geographical location in the Appalachian Mountains of western Maryland, place us in a climate area where we observe all four seasons and most weather patterns giving us a unique adaptability to changing events. As we are acclimated to our regions, some of these events simply require a change in personnel duties and equipment used on a daily basis to keep the organization in normal operations. However, for significant events that cause disruption to the function of the laboratory, we have created an Emergency Preparedness Committee. This committee's primary function is to plan, develop, and maintain the Appalachian Laboratory-Emergency Preparedness Plan (AL-EPP). The EPP defines policies and procedures which will assure maximum and efficient utilization of resources during any large-scale emergency.

When assessing possible risks, it is critical to have an execution plan in order to prioritize response and initiate damage control.

AL maintains the follow priorities during any emergency event:

- 1. Life Safety AL is committed to the protection of human life and health safety. All necessary measures will be taken to ensure the safety of all persons at AL. These measures will include evacuation, closing of campus, shelter as necessary and crisis response, including counseling.
- 2. Hazardous Materials and Chemical Containment Essential for life and health safety of staff and emergency responders.
- 3. Animal Safety AL is also committed to the protection of research animals housed in our laboratory. All necessary measures will be taken to ensure the safety and well-being of research animals as long as human life is not endangered.
- 4. Facility and Campus Infrastructure Preservation Take measures to protect the building structures prior to the event when feasible, such as taping or boarding glass and shutting off utilities.

- 5. Document and Historical Item Preservation Take measures to protect the items that cannot be replaced, including (but not limited to) library books and documents, historical valued items, photographs, etc.
- 6. Research Equipment Preservation This includes lab capital investments. Valuable research equipment should be moved to safer areas if they are in a danger zone (i.e., susceptible to flooding).
- 7. Continuity of Research This includes the preservation of live species, samples, research documents, and non-capital lab equipment.
- 8. Recovery and Resumption of Operations Facilities staff and outside contractors will assess and clear campus, clean up damaged areas (equipment and buildings), restore infrastructure, and being normal operations as quickly and efficiently as possible.

The AL building is adjacent to the Frostburg State University campus community making them a valuable resource for the AL building. UMCES AL has an active MOU with FSU Campus Police to provide services for building and grounds security and police protection for AL's facilities. This includes:

- 24-hour on call police protection
- Drive through and walk through surveillance of grounds and building.
- Respond to any fire alarm reported through the building fire alarm reporting system
- Respond to any emergency reported through the elevator reporting system
- Respond to emergencies as reported through the emergency blue light
- Respond to any calls generated by the building security system.

To aid in the continuation of critical functions during an emergency event, AL maintains an emergency generator engineered to support critical labs and administrative areas during a power outage. Supplied by a 2000-gallon fuel tank, the generator will support these functions until fuel is depleted. Additionally, AL has three UPS systems, one building wide system that support designated power outlets throughout the lab and administrative buildings, one to support the PBX and Voice Mail systems, and one so support our CASIF lab do to the sensitive nature of the equipment housed there.

The onset of disasters is usually extremely rapid and allows little or no time for preparation. This advance planning is a critical first step in building our resilience to help ensure that AL can effectively and efficiently prepare and handle any disaster or crisis event affecting the laboratory and also help to ensure a restoration and resumption of campus operations as quickly as possible.

VI.C. Costs and Financing

Affordability is key when dealing with any changes to the way that we do business. As we have seen the cost of products with recycled content continue to drop and products become more widely available, it is clear that with the increased development of sustainable technologies, renewable energy projects are also becoming more financially feasible. The Appalachian Laboratory Administration is committed to providing available funding for 'green' initiatives. The continued support of the recycling program at the Appalachian Laboratory and the purchase of available and affordable recycled materials is a priority for the institution as is the purchase of high efficiency motor vehicles.

VI.D. Communication and Dissemination

UMCES Appalachian Laboratory will use multiple of sources in order to communicate our sustainability efforts and progress to the AL community, UMCES community and the general public. An open door policy for suggestions, ideas, comments etc., has always been in place within the AL community and will continue to be the practice for our sustainability program.

ALOnline is the Appalachian Laboratory intranet with a multitude of features to allow the AL community to easily share information. The URL is <u>http://alonline.al.umces.edu</u> Individuals set up their own account on the homepage and then can add/create/edit content to be shared with other AL-ers.

The Appalachian Laboratory Environmental Sustainability Initiative webpage <u>http://www.umces.edu/al-environmental-sustainability-initiative</u> highlights the sustainability efforts, goals and resources at the Appalachian Laboratory. This website is publically available.

UMCES, being one of the signatory institutions to the ACUPCC, agrees to make our climate action plan, inventory, and progress reports publicly available by providing them for posting and dissemination per the timelines set up by the plan based on our signing date. <u>http://reporting.secondnature.org/</u>

In August 2009, University of Maryland Center for Environmental Science joined the *Maryland Green Registry*, <u>http://www.green.maryland.gov/registry/index.html</u> a self-certification program offering tips and resources to help organizations set and meet their own goals on the path to sustainability.

VI.E. Conclusions

UMCES Appalachian Laboratory has and will continue to use the results from annual GHG inventories and recommended energy conservation measures to help set reduction targets and lessen our potential climate footprint. Several plans are both in place and being developed to help reach this goal. Our primary targets will begin with addressing the emissions from the building proper and working outward.

With implementation of some of the key strategies, the Appalachian Laboratory anticipates meeting the climate commitment goals we have set in place. Ultimately, when emissions have been reduced as much as possible through the energy conservation measures addressed here, our carbon reductions may need to be further reduced by the purchase of carbon offsets from reputable traders in renewable energy credits in an amount equal to the number of tons of carbon dioxide equivalents (CDEs) remaining.

The identification of events and risk factors and our plans for response will ensure that AL can effectively and efficiently prepare and handle any disaster or crisis event affecting the laboratory and also help to ensure a restoration and resumption of campus operations as quickly as possible.

This plan will be revised and enhanced continually to keep up with new developments, personnel changes, and facility changes, but these changes should not alter our overall commitment to achieving and maintaining a sustainable campus.

Section VII: References

- American College & University Presidents' Climate Commitment (ACUPCC). 2014. Accessed: December 2014. <u>http://www.presidentsclimatecommitment.org/</u>
- Association for the Advancement of Sustainability in Higher Education (AASHE). 2014. Accessed: December 2014. http://www.aashe.org/
- Sustainability Institute at UNH: Campus Carbon Calculator. 2014. Accessed: October 2015. http://www.sustainableunh.unh.edu/calculator
- Council on Environmental Quality. Accessed: October 2008. http://www.whitehouse.gov/administration/eop/ceq
- Maryland Commission on Climate Change. 2009. http://msa.maryland.gov/msa/mdmanual/26excom/html/09climate.html
- Maryland Green Registry. 2009. http://www.green.maryland.gov/registry/index.html
- Second Nature. 2015. Accessed February 2016: <u>http://secondnature.org/</u>
- University of Maryland Center for Environmental Science. Annual Report 2007.
- United Nations Environmental Programme. The Ozone Secretariat: Montreal Protocol: Accessed: November 2010. http://ozone.unep.org/new_site/en/index.php
- United Nations Framework Convention on Climate Change. Accessed: November 2010 <u>http://unfccc.int/kyoto_protocol/status_of_ratification/items/2613.php</u>
- U.S. Environmental Protection Agency Climate Change. <u>U.S Climate Policy and Actions</u>. 20 Dec 2007. Accessed: September 2008. <u>http://www.epa.gov/climatechange/policy</u>

Section VIII: Acronyms and Abbreviations

AASHE	Association for the Advancement of Sustainability in Higher Education
ACUPCC	American College & University Presidents Climate Commitment
AHU	Air Handling Unit
AL	Appalachian Laboratory
CA-CP	Clean Air - Cool Planet
CAP	Climate Action Plan
CBL	Chesapeake Biological Laboratory
CCC	Campus Carbon Calculator
CESU	Cooperative Ecosystems Studies Unit
CF	Cubic Feet
CO2	Carbon Dioxide
CO2e	Carbon Dioxide Equivalency
CRT	Cathode Ray Tube
CW CESU	Chesapeake Watershed Cooperative Ecosystems Studies Unit
CY	Calendar Year
DDC	Direct Digital Controls
DNR	Maryland Department of Natural Resources
ECM	Energy Conservation Measure
eGRID	Emissions & Generation Resource Integrated Database
EPA	Environmental Protection Agency
EPC	Energy Performance Contract
ESC	Environmental Sustainability Council
FMP	Facilities Master Plan
FRA	Faculty Research Assistant
FSU	Frostburg State University
FY	Fiscal Year
G8	Group of Eight
GHG	Green House Gas
GSF	Gross Square Feet
GWP	Global Warming Potential
HPL	Horn Point Laboratory
HVAC	Heating, Ventilation, and Air-Conditioning
IMET	Institute of Marine and Environmental Technology
IT	Information Technology
IVN	Interactive Video Network
KM	Kilometer
KWH	Kilowatt Hour
LCD	Liquid Crystal Display
LEED	Leadership in Energy and Environmental Design
MCCC	Maryland Climate Change Commission
MDE	Maryland Department of the Environment

MDSG	Maryland Sea Grant College
MMBTU	Million Metric British Thermal Units
MPS	Meters Per Second
MT CO2e	Metric Tons Carbon Dioxide equivalent
OCSS	On Campus Stationary Source
R134A	Refrigerant 134A
R22	Refrigerant 22
R404A	Refrigerant 404A
REC	Renewable Energy Credits
SGAP	Space Guidelines and Planning
T & D	Transportation and Distribution
U.S.	United States
UMCES	University of Maryland Center for Environmental Science
UN	United Nations
UNCED	United Nations Conference on Environment and Development
UNFCCC	United Nations Framework Convention on Climate Change
USM	University System Of Maryland
VFD	Variable Frequency Drives
WCPS	Wrights Crossing Pumping Station
WWTP	Waste Water Treatment Plant
Yd3	Cubic Yard